

```

<div id="record{$summId|escape}" class="yui-ge">
  <div class="yui-u first">
    {if $summAltTitle} - {$summAltTitle.0|truncate:180:"..."|highlight:$lookfor}{/if}

    {if $summThumb}
    
    {else}
    
    {/if}
  <div class="resultitem">
    <div class="resultItemLine1">
      <a href="{ $url}/Record/{ $summId|escape:"url"}" class="title">{if
      !empty($summHighlightedTitle)}{$summHighlightedTitle|addEllipsis:$summTitle|highlight}{e
      lseif !$summTitle}{translate text='Title not
      available'}{else}{$summTitle|truncate:180:"..."|escape}{/if}</a>
    </div>

    <div class="resultItemLine2">
      {if !empty($summAuthor)}
      {translate text='by'}
      <a href="{ $url}/Author/Home?author={ $summAuthor|escape:"url"}">{if
      !empty($summHighlightedAuthor)}{$summHighlightedAuthor|highlight}{else}{$summAuthor|esca
      pe}{/if}</a>
      {/if}

      {if $summDate}{translate text='Published'} {$summDate.0|escape}{/if}
    </div>

    <div class="resultItemLine3">
      {if !empty($summSnippetCaption)}<b>{translate text=$summSnippetCaption}:</b>{/if}
      {if !empty($summSnippet)}<span
      class="quotestart">&#8220;</span>...{$summSnippet|highlight}...<span
      class="quoteend">&#8221;</span><br>{/if}
      {if $summAjaxStatus}
      <b>{translate text='Call Number'}:</b> <span
      id="callnumber{$summId|escape}">{translate text='Loading'}</span><br>
      <b>{translate text='Located'}:</b> <span id="location{$summId|escape}">{translate
      text='Loading'}</span>
      {elseif !empty($summCallNo)}
      <b>{translate text='Call Number'}:</b> {$summCallNo|escape}
      {/if}
    </div>

    <div class="resultItemLine4">
      {if $summOpenUrl || !empty($summURLs)}
      {if $summOpenUrl}
      <br>
      {include file="Search/openurl.tpl" openUrl=$summOpenUrl}
      {/if}
      {foreach from=$summURLs key=recordurl item=urldesc}
      <br><a href="{if
      $proxy}{$proxy}/login?qurl={ $recordurl|escape:"url"}{else}{$recordurl|escape}{/if}"
      class="fulltext" target="new">{if $recordurl == $urldesc}{translate text='Get full
      text'}{else}{$urldesc|escape}{/if}</a>
      {/foreach}
      {elseif $summAjaxStatus}

```

```
<div class="status" id="status{$summId|escape}">
  <span class="unknown" style="font-size: 8pt;">{translate text='Loading'}...</span>
</div>
{/if}
<div style="display: none;" id="locationDetails{$summId|escape}">&nbsp;  </div>
</div>
{foreach from=$summFormats item=format}
  <span class="iconlabel {$format|lower|regex_replace:"/[^a-z0-9]/":"}">{translate
  text=$format}</span>
{/foreach}
</div>
</div>

<div class="yui-u">
  <div id="saveLink{$summId|escape}">
    <a href="{ $url }/Record/{ $summId|escape:"url" }/Save" onClick="getLightbox('Record',
    'Save', '{ $summId|escape }', '', '{translate text='Add to favorites'}', 'Record',
    'Save', '{ $summId|escape }'); return false;" class="fav tool">{translate text='Add to
    favorites'}</a>
  <ul id="lists{$summId|escape}"></ul>
  <script language="JavaScript" type="text/javascript">
    getSaveStatuses('{ $summId|escape:"javascript" }');
  </script>
</div>
{if $showPreviews}
  {if (!empty($summLCCN) || !empty($summISBN) || !empty($summOCLC))}
    {if $showGBSPreviews}
      <div class="previewDiv">
        <a class="{if $summISBN}gbsISBN{$summISBN}{/if}{if $summLCCN}{if $summISBN}
        {/if}gbsLCCN{$summLCCN}{/if}{if $summOCLC}{if $summISBN|$summLCCN} {/if}{foreach
        from=$summOCLC item=OCLC name=oclcLoop}gbsOCLC{$OCLC}{if
        !$smarty.foreach.oclcLoop.last} {/if}{/foreach}{/if}" style="display:none"
        target="_blank">
          
        </a>
      </div>
    {/if}
    {if $showOLPreviews}
      <div class="previewDiv">
        <a class="{if $summISBN}olISBN{$summISBN}{/if}{if $summLCCN}{if $summISBN}
        {/if}olLCCN{$summLCCN}{/if}{if $summOCLC}{if $summISBN|$summLCCN} {/if}{foreach
        from=$summOCLC item=OCLC name=oclcLoop}olOCLC{$OCLC}{if
        !$smarty.foreach.oclcLoop.last} {/if}{/foreach}{/if}" style="display:none"
        target="_blank">
          
        </a>
      </div>
    {/if}
    {if $showHTPreviews}
      <div class="previewDiv">
        <a id="HT{$summId|escape}" style="display:none" target="_blank">
          
        </a>
      </div>
    {/if}
  {/if}
</div>
```

```
</a>
</div>
{/if}
{/if}
{/if}
</div>
</div>

{if $summCOinS}<span class="Z3988" title="{ $summCOinS|escape}"></span>{/if}

{if $summAjaxStatus}
<script type="text/javascript">
  getStatuses('{ $summId|escape:"javascript"}');
</script>
{/if}
{if $showPreviews}
<script type="text/javascript">
  {if $summISBN}getExtIds('ISBN{ $summISBN|escape:"javascript"}');{/if}
  {if $summLCCN}getExtIds('LCCN{ $summLCCN|escape:"javascript"}');{/if}
  {if $summOCLC}{foreach from=$summOCLC
item=OCLC}getExtIds('OCLC{ $OCLC|escape:"javascript"}');{/foreach}{/if}
  {if (!empty($summLCCN) || !empty($summISBN) || !empty($summOCLC))}
    getHTIds('id:HT{ $summId|escape:"javascript"}');{if
  $summISBN}isbn:{ $summISBN|escape:"javascript"}{/if}{if $summLCCN}{if
  $summISBN};{/if}lccn:{ $summLCCN|escape:"javascript"}{/if}{if $summOCLC}{if $summISBN ||
  $summLCCN};{/if}{foreach from=$summOCLC item=OCLC
  name=oclcLoop}oclc:{ $OCLC|escape:"javascript"}{if
  !$smarty.foreach.oclcLoop.last};{/if}{/foreach}{/if}'
  {/if}
</script>
{/if}
```